

## 2024.6

				2024.6.24
% /				100
				GB5749-2022
1		CFU/100mL		
2		MPN/100mL		
3		CFU/mL	100	
4		mg/L	0.01	<0.001
5		mg/L	0.005	<0.0005
6	( )	mg/L	0.05	<0.004
7		mg/L	0.01	<0.005
8		mg/L	0.001	<0.0001
9		mg/L	0.05	<0.002
10		mg/L	1.0	0.192
11	( N )	mg/L	10	1.42
12		mg/L	0.06	0.0314
13		mg/L	0.1	0.00239
14		mg/L	0.06	0.00624

15		mg/L	0.1	<0.005
16			1	0.651
17		mg/L	0.05	0.0070
18		mg/L	0.1	<0.05
19		mg/L	0.01	0.0026
20		mg/L	0.7	0.0523
21		mg/L	0.7	0.0516
22	(		15	<5
23	(	NTU	1	0.07
24				
25				
26	pH		6.5      8.5	7.63
27		mg/L	0.2	0.0661
28		mg/L	0.3	<0.10
29		mg/L	0.1	<0.05
30		mg/L	1.0	<0.05
31		mg/L	1.0	<0.05
32		mg/L	250	14.4
33		mg/L	250	22.7
34		mg/L	1000	160
35	( CaCO <sub>3</sub> )	mg/L	450	117

36	( O2 )	mg/L	3	1.04
37	( N )	mg/L	0.5	<0.025
38		Bq/L	0.5	0.0079
39		Bq/L	1	0.0235
40		mg/L	0.3~2                      0.05~2	0.60